

CATALOGUE

MADE IN ITALY SINCE 1965

COMPANY

Born in 1965, today FIORE is a well-known name, esteemed by businessmen of the same sector as well as by the consumers themselves, in Italy and all over the world. This rapid growth and the subsequent commercial successes are due to the competence of our staff as well as to the large investments made by Fiore Rubinetterie over the years.

.....

PROJECT

Fiore production starts from the study of the design according to customers' requirements, market trends and our strong desire for innovation. Fiore Research and Design Center is constantly moving between experimentation and technology following the latest innovations regarding manufacturing systems, product optimization and design trends.

.....

QUALITY

Product quality, attention to customers' needs and the ability to meet their requirements in the shortest time possible are the focal points of Fiore philosophy and the reason for our continuous success.

IN THE WORLD

.....



Made in Italy



55 anni di esperienza 55 years of experience	Lavorazioni meccaniche Machining department	80 dipendenti 80 workers
22.000 mq	Magazzino Warehouse	Distribuzione in più di 80 paesi nel mondo Distribution in more than 80 countries worldwide
Uffici Offices	Assemblaggio e collaudo Assembling & testing	Spedizioni Shipping department



Made in Italy



PROJECT REFERENCES

.....



Burj Damac Waterfront
Doha
Qatar

Hotel Sir E.K. Savigny
Berlin
Germany

Grand Tunis Hotel
Tunis
Tunisia



The Address Hotel
Dubai
UAE

Shangri-La's Hotel
Sabah
Malaysia

Radisson Blu Resort
Sharjah
UAE



Al Duja Tower
Dubai
UAE

Domus Hotel
Berlin
Germany

Kalderimi Country House Hotel
Pelion
Magnisia
Greece

- The Address Hotel, Dubai
- Nobility, Sangdo, Seoul, Korea
- Emotional Grand Hotel, Borgomanero, Italy
- Mag 5 Boulevard, Dubai UAE
- Qasr Al-Sultan Hotels, Dubai UAE
- Al Duja Tower, Dubai UAE
- Mohammad Nazim Asreb Building, Dubai UAE
- Goshi Tower, Dubai UAE
- Abu Shadi Building, Dubai UAE
- Sheikh Abdullah Alqasimi Building, Sharjah UAE
- Burj Damac Waterfront, Doha, Qatar
- Radisson Blu Resort, Sharjah UAE
- Shangri-La's Hotel Sabah, Malaysia
- Kalderimi Country House Hotel Pelion, Magnisia, Greece
- Apartments of the Olympic Village, Athens, Greece
- San Marco Hotel, Mykonos, Greece
- Marina Hotel & Bungalows, Gouves, Greece
- Agios Savvas Regional Cancer Hospital, Athens, Greece
- Corfù International Airport, Corfù, Greece
- Nawazi Al Aziziah Hotel, Mecca, Saudi Arabia
- Residential and Commercial building, Jeddah, Saudi Arabia
- Semeco Khobar, Saudi Arabia
- Kapsarc project / SK Contracting Co., Mecca, Saudi Arabia
- Al Marai Project, Jeddah, Saudi Arabia
- Al Hidayah-Al Tayseer project, Mecca, Saudi Arabia
- Masfala Hotel, Mecca, Saudi Arabia
- Aziziah Hotel, Mecca, Saudi Arabia
- Security Forces Medical Towers Centre, Mecca, Saudi Arabia
- Defence Raya Commercial, Lahore, Pakistan
- Defence Raya Golf Course Dha Lahore, Pakistan
- The Spring Apartment Homes, Pakistan
- High Q Tower, Pakistan
- Bin Mahfouz Group, Mecca, Saudi Arabia
- Astra Head Co. project, Jeddah, Saudi Arabia
- Zuwar Restaurant, Amman, Jordan
- Hotel Hyatt Zaman Hotel and Resort Petra, Jordan
- Olympic village for the Pan American Games, Santo Domingo, Dominican Republic
- Apartments, Bogotá, Colombia
- Boutique Hotel, Praga, Czech Republic
- Les Jardins de Carthage, Tunisi, Tunisia
- Residence Les Tulipes, Sfax, Tunisia
- Residence Hela, Sfax, Tunisia
- Ifrane Royal Palace, Ifrane, Morocco
- Domus Hotel, Berlin, Germany
- Gran City Hotels, Monaco, Germany
- Hotel Sir E.K. Savigny, Berlin, Germany
- Trip by Wyndham Düsseldorf City Centre, Düsseldorf, Germany
- Wyndham Excelsior Hotel, Berlin, Germany
- Hotel Excelsior - Monopol, GMBH Frankfurt, Germany
- Hotel Rotelle, Torrita di Siena, Italy
- Ngorongoro Serena Safari Lodge, Tanzania
- I.D.F Israeli Sea Force Office Building, Israel
- TLV Gindi Mall, Tel Aviv, Israel
- Orient Hotel, Jerusalem, Israel
- Dizenghoff Hotel, Tel Aviv, Israel
- Private Medical Center & Hotel, Petach Tikva, Israel
- Leonardo Beer Sheva Hotel, Beersheba, Israel
- Mineral Hotel Tiberia, Israel
- Leonardo Haifa Hotel, Israel





MADE IN ITALY

KOSMO



■ 28CR1700
External shower mixer without shower set.



■ 28CR1721
External shower mixer without shower set.



■ 28CR6517
2-way built-in shower mixer with diverter.



■ 28CR8120
One hole basin mixer, 1"1/4 aut. pop up waste, flex cm 35.



■ 28CR8123
One hole basin mixer, 1"1/4 aut. pop up waste, flex cm 35.



■ 28CR2243
One hole basin mixer, 1"1/4 aut. pop up waste, flex cm 35.



■ 28CR4379
One hole sink mixer, flex cm 35.



■ 28CR4310
One hole sink mixer, flex cm 35.



■ 28CR4360
One hole sink mixer, flex cm 35.



■ 28CR3710
One hole bidet mixer, 1"1/4 aut. pop up waste, flex cm 35.



■ 28CR3251
One hole bidet mixer with diverter, spray, 1"1/4 pop up waste.



■ 28CR1510
Bath mixer without shower set.



■ 28CR4318
One hole sink mixer, flex cm 35.



■ 28CR4323
One hole sink mixer, flex cm 35.

Technical Data Sheet

Series: Kosmo
Article code: 28CR8120 02

Description:
One hole basin mixer, 1"1/4 pop up waste,
flex cm 35 x 1/2"F.

Materials:
Brass


Surface finish Chrome:
14 micron Nickel
0.3 microm Chrome

Finishings




Features

-  Cartridge diam. 35 mm with 2 ceramic disks, with 25° opening angle, and 90° mixing angle. We use only certified white lubricant into our mixers and cartridges.
-  Aerator Male thread 24 x 1
-  Stainless steel flex hoses cm 35 with 1/2 brass nut with internal non removable rubber
-  Metal 1"1/4 pop up waste
-  Easy installation with 65 mm brass long fixing screw
Suitable for electrical water heater



Technical Data Sheet



01	M24x1 aerator	/
02	Rod	Steel
03	Base	Zamac
04	Cartridge Ø35 mm	/
05	Cap	Chrome ABS
06	Body	Brass
07	Fixing set	/
08	Flexible hoses cm 35 1/2"F	/
09	Locking nut	Brass
10	OR	Rubber
11	Lever	Zamac
12	Plaquette	Chrome ABS
13	1"1/4 aut. pop up waste	/
14	Screw M5x6	Steel

Maintenance

Product care also includes regularly cleaning the aerator filter from impurities and/or lime scale. For correct decalcification, disassemble the aerator and place it into diluted vinegar (max concentration: 10% at 20°C) to remove lime scale deposits and/or dirt from the aerator filters. Leave it to soak for a few hours, and then rinse using only water.

Cleaning recommendation for products and care of finish

Chrome: the chrome surfaces can be cleaned with a mild detergent or with neutral soap and water.

Color finishes: taps with colored finishes should be cleaned only with a cloth and water.

Never use detergents containing mineral acids (ex. hydrochloric acid), aggressive acids (ex. acetic acid), bases (ex. ammonia) phosphoric acid or other aggressive substances, as they can cause significant damage.



www.fiore.it/catalogues

Technical Data Sheet

Series: Kosmo
Article code: 28CR8123 02

Description:
One hole basin mixer, 1"1/4 pop up waste,
flex cm 35 x 1/2"F.

Materials:
Brass


Surface finish Chrome:
14 micron Nickel
0.3 microm Chrome

Finishings




Features

-  Cartridge diam. 35 mm with 2 ceramic disks, with 25° opening angle, and 90° mixing angle. We use only certified white lubricant into our mixers and cartridges.
-  Aerator Male thread 24 x 1
-  Stainless steel flex hoses cm 35 with 1/2 brass nut with internal non removable rubber
-  Metal 1"1/4 pop up waste
-  Easy installation with 65 mm brass long fixing screw
Suitable for electrical water heater



Technical Data Sheet



01	M24x1 aerator	/
02	Rod	Steel
03	Base	Zamac
04	Cartridge Ø35 mm	/
05	Cap	Chrome ABS
06	Body	Brass
07	Fixing set	/
08	Flexible hoses cm 35 1/2"F	/
09	Locking nut	Brass
10	OR	Rubber
11	Lever	Zamac
12	Plaquette	Chrome ABS
13	1"1/4 aut. pop up waste	/
14	Screw M5x6	Steel

Maintenance

Product care also includes regularly cleaning the aerator filter from impurities and/or lime scale. For correct decalcification, disassemble the aerator and place it into diluted vinegar (max concentration: 10% at 20°C) to remove lime scale deposits and/or dirt from the aerator filters. Leave it to soak for a few hours, and then rinse using only water.

Cleaning recommendation for products and care of finish

Chrome: the chrome surfaces can be cleaned with a mild detergent or with neutral soap and water.

Color finishes: taps with colored finishes should be cleaned only with a cloth and water.

Never use detergents containing mineral acids (ex. hydrochloric acid), aggressive acids (ex. acetic acid), bases (ex. ammonia) phosphoric acid or other aggressive substances, as they can cause significant damage.



www.fiore.it/catalogues

Technical Data Sheet

Series: Kosmo
Article code: 28CR2243 02

Description:
One hole basin mixer, without pop up waste,
flex cm 35 x 1/2" F.


Materials:
Brass
Surface finish Chrome:
14 micron Nickel
0.3 microm Chrome

Finishings




Features

-  Cartridge diam. 42 mm with 2 ceramic disks, with 25° opening angle, and 90° mixing angle. We use only certified white lubricant into our mixers and cartridges.
-  Aerator Male thread 24 x 1
-  Stainless steel flex hoses cm 35 with 1/2 brass nut with internal non removable rubber
-  Metal 1 1/4 pop up waste
-  Easy installation with 65 mm brass long fixing screw
Suitable for electrical water heater



Technical Data Sheet



01	Spout	Brass
02	Nut	Brass
03	OR holder connection	Brass
04	3/4G connection	Brass
05	Body	Brass
06	Base	Zamac
07	Fixing set	/
08	Flexible hoses cm 35 1/2" F	/
09	Cartridge Ø42 mm	/
10	Locking nut	Brass
11	Cap	Chrome ABS
12	Lever	Zamac
13	Screw M5x6	Steel
14	Plaquette	Chrome ABS
15	M24x1 aerator	/
16	Rod	Steel
17	Clamp	Chrome ABS
18	1 1/4 aut. pop up waste	/

Maintenance

Product care also includes regularly cleaning the aerator filter from impurities and/or lime scale. For correct decalcification, disassemble the aerator and place it into diluted vinegar (max concentration: 10% at 20°C) to remove lime scale deposits and/or dirt from the aerator filters. Leave it to soak for a few hours, and then rinse using only water.

Cleaning recommendation for products and care of finish

Chrome: the chrome surfaces can be cleaned with a mild detergent or with neutral soap and water.

Color finishes: taps with colored finishes should be cleaned only with a cloth and water.

Never use detergents containing mineral acids (ex. hydrochloric acid), aggressive acids (ex. acetic acid), bases (ex. ammonia) phosphoric acid or other aggressive substances, as they can cause significant damage.



www.fiore.it/catalogues

Technical Data Sheet

Series: Kosmo
Article code: 28CR3710 02

Description:
One hole bidet mixer, 1"1/4 pop up waste,
flex cm 35 x 1/2"F.

Materials:
Brass


Surface finish Chrome:
14 micron Nickel
0.3 microm Chrome

Finishings




Features

-  Cartridge diam. 35 mm with 2 ceramic disks, with 25° opening angle, and 90° mixing angle. We use only certified white lubricant into our mixers and cartridges.
-  Aerator Female thread 22 x 1
-  Stainless steel flex hoses cm 35 with 1/2 brass nut with internal non removable rubber
-  Metal 1"1/4 pop up waste
-  Easy installation with 65 mm brass long fixing screw
Suitable for electrical water heater



Technical Data Sheet



01	Lever	Zamac
02	Plaquette	Chrome ABS
03	Screw M5x6	Steel
04	Cap	Chrome ABS
05	Locking nut	Brass
06	Cartridge Ø35 mm	/
07	Body	Brass
08	Rod	Steel
09	Base	Zamac
10	Fixing set	/
11	Flexible hoses cm 35 1/2"F	/
12	Aerator F22x1	/
13	Movable part	Brass
14	Clamp	Chrome ABS
15	1"1/4 aut. pop up waste	/

Maintenance

Product care also includes regularly cleaning the aerator filter from impurities and/or lime scale. For correct decalcification, disassemble the aerator and place it into diluted vinegar (max concentration: 10% at 20°C) to remove lime scale deposits and/or dirt from the aerator filters. Leave it to soak for a few hours, and then rinse using only water.

Cleaning recommendation for products and care of finish

Chrome: the chrome surfaces can be cleaned with a mild detergent or with neutral soap and water.

Color finishes: taps with colored finishes should be cleaned only with a cloth and water.

Never use detergents containing mineral acids (ex. hydrochloric acid), aggressive acids (ex. acetic acid), bases (ex. ammonia) phosphoric acid or other aggressive substances, as they can cause significant damage.



www.fiore.it/catalogues

Technical Data Sheet

Series: Kosmo
Article code: 28CR3251 02

Description:
One hole bidet mixer with diverter, 1"1/4 pop up waste, flex cm 50 x 1/2"F.

Materials:
Brass


Surface finish Chrome:
14 micron Nickel
0.3 microm Chrome

Finishings




Features

-  Cartridge diam. 42 mm with 2 ceramic disks, with 25° opening angle, and 90° mixing angle. We use only certified white lubricant into our mixers and cartridges.
-  Aerator Female thread 22 x 1
Flow rate 7 l/min
-  Stainless steel flex hoses cm 50 with 1/2 brass nut with internal non removable rubber
-  Metal 1"1/4 pop up waste
-  Easy installation with 65 mm brass long fixing screw
Suitable for electrical water heater



Technical Data Sheet



01	Fixing set	/
02	Shower	/
03	Aerator M22x1	/
04	Rod	Steel
05	Base	Zamac
06	Cap	Chrome ABS
07	Body	Brass
08	Cartridge d. 42 mm	/
09	Flex cm 60	/
10	Flex cm 50 1/2"F	/
11	Screw M5x6	Steel
12	Lever	Zamac
13	OR	Rubber
14	Plaquette	Chrome ABS
15	1"1/4 aut. pop up waste	/
16	Movable part	Brass
17	Locking nut	Brass

Maintenance

Product care also includes regularly cleaning the aerator filter from impurities and/or lime scale. For correct decalcification, disassemble the aerator and place it into diluted vinegar (max concentration: 10% at 20°C) to remove lime scale deposits and/or dirt from the aerator filters. Leave it to soak for a few hours, and then rinse using only water.

Cleaning recommendation for products and care of finish

Chrome: the chrome surfaces can be cleaned with a mild detergent or with neutral soap and water.
Color finishes: taps with colored finishes should be cleaned only with a cloth and water.

Never use detergents containing mineral acids (ex. hydrochloric acid), aggressive acids (ex. acetic acid), bases (ex. ammonia) phosphoric acid or other aggressive substances, as they can cause significant damage.



www.fiore.it/catalogues

Technical Data Sheet

Series: Kosmo
Article code: 28CR1510

Description:
Bath mixer without shower set.

Materials:
Brass

Surface finish Chrome:
14 micron Nickel
0.3 microm Chrome

Finishings



Features


 Cartridge diam. 35 mm with 2 ceramic disks, with 25° opening angle, and 90° mixing angle. We use only certified white lubricant into our mixers and cartridges.

 Aerator Male thread 24x1


 Forged solid brass wall connector with brass rosette
Long ¾ nut for wall connection
150 mm wheelbase body with adjusting wall connector from 130mm to 170mm

 Automatic solid brass diverter with stainless steel spring
90° turning locking diverter to be also used in case of low pressure

Suitable for electrical water heater



Technical Data Sheet



01	Lever	Zamac
02	Plaquette	Chrome ABS
03	Screw M5x6	Steel
04	Cap	Chrome ABS
05	Locking nut	Brass
06	Cartridge Ø35 mm	/
07	Body	Brass
08	Knob for diverter	Brass
09	Upper connection	Brass
10	Rod	Brass
11	Lower connection	Brass
12	Excentric union	Brass
13	Plate	Brass
14	Gasket	Fiber
15	Seat 18x19	Brass
16	3/4 nut	Brass

Maintenance

Product care also includes regularly cleaning the aerator filter from impurities and/or lime scale. For correct decalcification, disassemble the aerator and place it into diluted vinegar (max concentration: 10% at 20°C) to remove lime scale deposits and/or dirt from the aerator filters. Leave it to soak for a few hours, and then rinse using only water.

Cleaning recommendation for products and care of finish

Chrome: the chrome surfaces can be cleaned with a mild detergent or with neutral soap and water.

Color finishes: taps with colored finishes should be cleaned only with a cloth and water.

Never use detergents containing mineral acids (ex. hydrochloric acid), aggressive acids (ex. acetic acid), bases (ex. ammonia) phosphoric acid or other aggressive substances, as they can cause significant damage.



www.fiore.it/catalogues

Technical Data Sheet

Series: Kosmo
Article code: 28CR1700

Description:
External shower mixer without
shower set.

Materials:
Brass

Surface finish Chrome:
14 micron Nickel
0.3 microm Chrome



Finishings




Features

 Cartridge diam. 35 mm with 2 ceramic disks,
with 25° opening angle, and 90° mixing angle.
We use only certified white lubricant into our
mixers and cartridges.

 Forged solid brass wall connector with brass rosette
Long ¾ nut for wall connection
150 mm wheelbase body with adjusting wall connector
from 130mm to 170mm



Technical Data Sheet



01	Lever	Zamac
02	Plaquette	Chrome ABS
03	Screw M5x6	Steel
04	Cap	Chrome ABS
05	Locking nut	Brass
06	Cartridge Ø35 mm	/
07	Body	Brass
08	Connection	Brass
09	3/4 nut	Brass
10	Seat 18x19	Brass
11	Gasket	Fiber
12	Plate	Brass
13	Excentric union	Brass

Maintenance

Product care also includes regularly cleaning the aerator filter from impurities and/or lime scale. For correct decalcification, disassemble the aerator and place it into diluted vinegar (max concentration: 10% at 20°C) to remove lime scale deposits and/or dirt from the aerator filters. Leave it to soak for a few hours, and then rinse using only water.

Cleaning recommendation for products and care of finish

Chrome: the chrome surfaces can be cleaned with a mild detergent or with neutral soap and water.

Color finishes: taps with colored finishes should be cleaned only with a cloth and water.

Never use detergents containing mineral acids (ex. hydrochloric acid), aggressive acids (ex. acetic acid), bases (ex. ammonia) phosphoric acid or other aggressive substances, as they can cause significant damage.



www.fiore.it/catalogues

Technical Data Sheet

Series: Kosmo
Article code: 28CR1721

Description:
External shower mixer 100 mm without shower set.

Materials:
Brass

Surface finish Chrome:
14 micron Nickel
0.3 microm Chrome



Finishings




Features

 Cartridge diam. 35 mm with 2 ceramic disks, with 25° opening angle, and 90° mixing angle. We use only certified white lubricant into our mixers and cartridges.

 Forged solid brass wall connector with brass rosette
Long ¾ nut for wall connection
150 mm wheelbase body with adjusting wall connector from 130mm to 170mm



Technical Data Sheet



01	Lever	Zamac
02	Plaquette	Chrome ABS
03	Screw M5x6	Steel
04	Cap	Chrome ABS
05	Locking nut	Brass
06	Cartridge Ø35 mm	/
07	Body	Brass
08	Connection	Brass
09	3/4 nut	Brass
10	Seat 18x19	Brass
11	Gasket	Fiber
12	Plate	Brass
13	Excentric union	Brass

Maintenance

Product care also includes regularly cleaning the aerator filter from impurities and/or lime scale. For correct decalcification, disassemble the aerator and place it into diluted vinegar (max concentration: 10% at 20°C) to remove lime scale deposits and/or dirt from the aerator filters. Leave it to soak for a few hours, and then rinse using only water.

Cleaning recommendation for products and care of finish

Chrome: the chrome surfaces can be cleaned with a mild detergent or with neutral soap and water.

Color finishes: taps with colored finishes should be cleaned only with a cloth and water.

Never use detergents containing mineral acids (ex. hydrochloric acid), aggressive acids (ex. acetic acid), bases (ex. ammonia) phosphoric acid or other aggressive substances, as they can cause significant damage.



www.fiore.it/catalogues

Technical Data Sheet

Series: Kosmo
Article code: 28CR6517

Description:
2-way built-in shower mixer with diverter.

Materials:
Brass

Surface finish Chrome:
14 micron Nickel
0.3 microm Chrome


Finishings




Features



Cartridge diam. 42 mm with 2 ceramic disks, with 25° opening angle, and 90° mixing angle. We use only certified white lubricant into our mixers and cartridges.



Technical Data Sheet



01	Cartridge d. 42 mm	/
02	Ring	Brass
03	Cap	Chrome ABS
04	Diverter	Brass
05	Locking nut	Brass
06	Gasket	Plastic
07	Gasket	Plastic
08	Lever	Zamac
09	Plate	Brass
10	Built-in body	Brass

Maintenance

Product care also includes regularly cleaning the aerator filter from impurities and/or lime scale. For correct decalcification, disassemble the aerator and place it into diluted vinegar (max concentration: 10% at 20°C) to remove lime scale deposits and/or dirt from the aerator filters. Leave it to soak for a few hours, and then rinse using only water.

Cleaning recommendation for products and care of finish

Chrome: the chrome surfaces can be cleaned with a mild detergent or with neutral soap and water.

Color finishes: taps with colored finishes should be cleaned only with a cloth and water.

Never use detergents containing mineral acids (ex. hydrochloric acid), aggressive acids (ex. acetic acid), bases (ex. ammonia) phosphoric acid or other aggressive substances, as they can cause significant damage.



www.fiore.it/catalogues

Technical Data Sheet

Series: Kosmo
Article code: 28CR4310 02

Description:
One hole sink mixer, flex cm 35 x 1/2" F.


Materials:
Brass
Surface finish Chrome:
14 micron Nickel
0.3 microm Chrome

Finishings




Features

-  Cartridge diam. 42 mm with 2 ceramic disks, with 25° opening angle, and 90° mixing angle. We use only certified white lubricant into our mixers and cartridges.
-  Aerator Male thread 24 x 1
-  Stainless steel flex hoses cm 35 with 1/2 brass nut with internal non removable rubber
-  Easy installation with 65 mm brass long fixing screw Suitable for electrical water heater



Technical Data Sheet



01	Spout	Brass
02	Nut	Brass
03	Connection	Brass
04	G3/4" connection	Brass
05	Body	Brass
06	Base	Zamac
07	Fixing set	/
08	Flex cm 35 1/2" F	Metal/Rubber
09	Cartridge d. 42	/
10	Locking nut	Brass
11	Cap	Chrome ABS
12	Lever	Zamac
13	Screw M5x6	Steel
14	Plaquette	Chrome ABS
15	Aerator M24x1	/

Maintenance

Product care also includes regularly cleaning the aerator filter from impurities and/or lime scale. For correct decalcification, disassemble the aerator and place it into diluted vinegar (max concentration: 10% at 20°C) to remove lime scale deposits and/or dirt from the aerator filters. Leave it to soak for a few hours, and then rinse using only water.

Cleaning recommendation for products and care of finish

Chrome: the chrome surfaces can be cleaned with a mild detergent or with neutral soap and water.

Color finishes: taps with colored finishes should be cleaned only with a cloth and water.

Never use detergents containing mineral acids (ex. hydrochloric acid), aggressive acids (ex. acetic acid), bases (ex. ammonia) phosphoric acid or other aggressive substances, as they can cause significant damage.



www.fiore.it

Technical Data Sheet

Series: Kosmo
Article code: 28CR4379 02

Description:
One hole sink mixer, flex cm 35 x 1/2" F.

Materials:
Brass

Surface finish Chrome:
14 micron Nickel
0.3 microm Chrome

Finishings




CR




Features

-  Cartridge diam. 42 mm with 2 ceramic disks, with 25° opening angle, and 90° mixing angle. We use only certified white lubricant into our mixers and cartridges.
-  Aerator Male thread 24 x 1
-  Stainless steel flex hoses cm 35 with 1/2 brass nut with internal non removable rubber
-  Easy installation with 65 mm brass long fixing screw Suitable for electrical water heater



Technical Data Sheet



01	Spout	Brass
02	Nut	Brass
03	Connection	Brass
04	G3/4" connection	Brass
05	Body	Brass
06	Base	Zamac
07	Fixing set	/
08	Flex cm 35 1/2" F	Metal/Rubber
09	Cartridge d. 42	/
10	Locking nut	Brass
11	Cap	Chrome ABS
12	Lever	Zamac
13	Screw M5x6	Steel
14	Plaquette	Chrome ABS
15	Aerator M24x1	/

Maintenance

Product care also includes regularly cleaning the aerator filter from impurities and/or lime scale. For correct decalcification, disassemble the aerator and place it into diluted vinegar (max concentration: 10% at 20°C) to remove lime scale deposits and/or dirt from the aerator filters. Leave it to soak for a few hours, and then rinse using only water.

Cleaning recommendation for products and care of finish

Chrome: the chrome surfaces can be cleaned with a mild detergent or with neutral soap and water.

Color finishes: taps with colored finishes should be cleaned only with a cloth and water.

Never use detergents containing mineral acids (ex. hydrochloric acid), aggressive acids (ex. acetic acid), bases (ex. ammonia) phosphoric acid or other aggressive substances, as they can cause significant damage.



Technical Data Sheet

Series: Kosmo
Article code: 28CR4360 02

Description:
One hole sink mixer, flex cm 35 x 1/2"F.


Materials:
Brass
Surface finish Chrome:
14 micron Nickel
0.3 microm Chrome

Finishings




Features

-  Cartridge diam. 42 mm with 2 ceramic disks, with 25° opening angle, and 90° mixing angle. We use only certified white lubricant into our mixers and cartridges.
-  Aerator Male thread 22 x 1
-  Stainless steel flex hoses cm 35 with 1/2 brass nut with internal non removable rubber
-  Easy installation with 65 mm brass long fixing screw Suitable for electrical water heater



Technical Data Sheet



01	Spout	Brass
02	Nut	Brass
03	Connection	Brass
04	G3/4" connection	Brass
05	Body	Brass
06	Base	Zamac
07	Fixing set	/
08	Flex cm 35 1/2"F	Metal/Rubber
09	Cartridge d. 42	/
10	Locking nut	Brass
11	Cap	Chrome ABS
12	Lever	Zamac
13	Screw M5x6	Steel
14	Plaquette	Chrome ABS
15	Aerator M22x1	/

Maintenance

Product care also includes regularly cleaning the aerator filter from impurities and/or lime scale. For correct decalcification, disassemble the aerator and place it into diluted vinegar (max concentration: 10% at 20°C) to remove lime scale deposits and/or dirt from the aerator filters. Leave it to soak for a few hours, and then rinse using only water.

Cleaning recommendation for products and care of finish

Chrome: the chrome surfaces can be cleaned with a mild detergent or with neutral soap and water.

Color finishes: taps with colored finishes should be cleaned only with a cloth and water.

Never use detergents containing mineral acids (ex. hydrochloric acid), aggressive acids (ex. acetic acid), bases (ex. ammonia) phosphoric acid or other aggressive substances, as they can cause significant damage.



Technical Data Sheet

Series: Kosmo
Article code: 28CR4318 02

Description:
One hole sink mixer, flex cm 35 x 1/2"F.


Materials:
Brass
Surface finish Chrome:
14 micron Nickel
0.3 microm Chrome

Finishings




Features

-  Cartridge diam. 42 mm with 2 ceramic disks, with 25° opening angle, and 90° mixing angle. We use only certified white lubricant into our mixers and cartridges.
-  Aerator Male thread 24 x 1
-  Stainless steel flex hoses cm 35 with 1/2 brass nut with internal non removable rubber
-  Easy installation with 65 mm brass long fixing screw Suitable for electrical water heater



Technical Data Sheet



01	Aerator M24x1	/
02	Base	Zamac
03	Connection	Brass
04	Spout	Brass
05	Cartridge d. 42 mm	/
06	Cap	Chrome ABS
07	Body	Brass
08	Fixing set	/
09	Flexible cm 35 1/2"F	/
10	Locking nut	Brass
11	OR 12,1x2,7	Rubber
12	OR 12x2	Rubber
13	OR 18x2	Rubber
14	OR 37,47x5,33	Rubber
15	Lever	Zamac
16	Connection	Brass
17	Connection 3/4"	Brass
18	Plaquette	Chrome ABS
19	Screw M5x6	Steel

Maintenance

Product care also includes regularly cleaning the aerator filter from impurities and/or lime scale. For correct decalcification, disassemble the aerator and place it into diluted vinegar (max concentration: 10% at 20°C) to remove lime scale deposits and/or dirt from the aerator filters. Leave it to soak for a few hours, and then rinse using only water.

Cleaning recommendation for products and care of finish

Chrome: the chrome surfaces can be cleaned with a mild detergent or with neutral soap and water.

Color finishes: taps with colored finishes should be cleaned only with a cloth and water.

Never use detergents containing mineral acids (ex. hydrochloric acid), aggressive acids (ex. acetic acid), bases (ex. ammonia) phosphoric acid or other aggressive substances, as they can cause significant damage.



Technical Data Sheet

Series: Kosmo
Article code: 28CR4323 02

Description:
One hole sink mixer, flex cm 35 x 1/2"F.


Materials:
Brass
Surface finish Chrome:
14 micron Nickel
0.3 microm Chrome

Finishings




Features

-  Cartridge diam. 42 mm with 2 ceramic disks, with 25° opening angle, and 90° mixing angle. We use only certified white lubricant into our mixers and cartridges.
-  Aerator Male thread 22 x 1
-  Stainless steel flex hoses cm 35 with 1/2 brass nut with internal non removable rubber
-  Easy installation with 65 mm brass long fixing screw Suitable for electrical water heater



Technical Data Sheet



01	Aerator M22x1	/
02	Base	Zamac
03	Connection	Brass
04	Spout	Brass
05	Cap	Chrome ABS
06	Cartridge d. 42 mm	/
07	Body	Brass
08	Flexible cm 35 1/2"F	/
09	Locking nut	Brass
10	Screw M5x6	Steel
11	Fixing set	/
12	Lever	Zamac
13	OR 37,47x5,33	Rubber
14	OR 12,1x2,7	Rubber
15	OR 12x2	Rubber
16	OR 18x2	Rubber
17	Plaquette	Chrome ABS
18	Connection 3/4"	Brass
19	Connection	Brass

Maintenance

Product care also includes regularly cleaning the aerator filter from impurities and/or lime scale. For correct decalcification, disassemble the aerator and place it into diluted vinegar (max concentration: 10% at 20°C) to remove lime scale deposits and/or dirt from the aerator filters. Leave it to soak for a few hours, and then rinse using only water.

Cleaning recommendation for products and care of finish

Chrome: the chrome surfaces can be cleaned with a mild detergent or with neutral soap and water.

Color finishes: taps with colored finishes should be cleaned only with a cloth and water.

Never use detergents containing mineral acids (ex. hydrochloric acid), aggressive acids (ex. acetic acid), bases (ex. ammonia) phosphoric acid or other aggressive substances, as they can cause significant damage.





High quality raw material

The chemical composition of the brass ingot satisfy the UNI-EN 1982-CB7535:

- Cu 58.6
- Pb 1.8
- Sn 0.2
- Al 0.05
- Fe 0.3
- Ni 0.3
- Zn rest



Transfer machines department

5 transfer machines with robot
10 transfer machines

Multispindle and CNC machines

11 multispindle machines
3 CNC machines



Chroming process

Fully automated process.

Thickness:

- 15 min for shiny nickel
- 4.20 min for mat nickel
- 4 min for chrome

Thickness of the coating deposition:

- 14 micron of nickel
- 0.3 micron of chrome



Fiore Rubinetterie s.r.l
28021 Borgomanero (NO) Italia
Via Maggiate 69/C

Tel. +39 0322 840711
Fax. +39 0322 840777

www.fiore.it
fiore@fiore.it